

[MS-SSAS]: SQL Server Analysis Services Protocol

This topic lists the Errata found in [MS-SSAS] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



[RSS](#)

Errata are subject to the same terms as the Open Specifications documentation referenced.



[Atom](#)

Errata below are for Protocol Document Version [V16.0 – 2014/05/20](#)

Errata Published*	Description								
2015/03/30	<p>After Section 2.2.4.2.2.17, Annotation, the following three new sections and related Product Behavior Notes were added:</p> <p>2.2.4.2.2.17.1 LinguisticSchemas Annotation</p> <p>The LinguisticSchemas annotation<80> is a predefined Annotation that is available on the Database object with Name = LinguisticSchemas.</p> <p>The value of this annotation is the element LinguisticSchemas with the following complex type.</p> <pre data-bbox="446 961 1393 1125"> <xsd:complexType name="LinguisticSchemas"> <xsd:sequence> <xsd:element name="LinguisticSchema" type="LinguisticSchema" minOccurs="1" /> </xsd:sequence> </xsd:complexType> </pre> <table border="1" data-bbox="414 1178 1360 1297"> <thead> <tr> <th>Element</th> <th>Read-Only</th> <th>Default value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>LinguisticSchemas</td> <td></td> <td>Empty</td> <td>A collection of LinguisticSchema objects.</td> </tr> </tbody> </table> <p>The following is an example of a LinguisticSchemas annotation.</p> <pre data-bbox="446 1392 1406 1793"> <Annotation> <Name>LinguisticSchemas</Name> <Value> <LinguisticSchemas xmlns=""> <LinguisticSchema Language="en-US" xmlns="http://schemas.microsoft.com /sqlserver/2014/01/linguisticschema"> <Entities> <Entity Name="my_table" EdmEntitySet="Sandbox.Table1"> <Words> <Word>my table</Word> </Words> </Entity> <Entity Name="my_table.A" EdmEntitySet="Sandbox.Table1" EdmProperty="A"> </pre>	Element	Read-Only	Default value	Description	LinguisticSchemas		Empty	A collection of LinguisticSchema objects.
Element	Read-Only	Default value	Description						
LinguisticSchemas		Empty	A collection of LinguisticSchema objects.						

Errata Published*	Description								
	<pre> <Words> <Word>A</Word> <Word>my table a</Word> </Words> </Entity> <Entity Name="my_table.B" EdmEntityType="Sandbox.Table1" EdmProperty="B"> <Words> <Word>B</Word> </Words> </Entity> <Entity Name="my_table.XL_row_number" EdmEntityType="Sandbox.Table1" EdmProperty="v_XL_RowNumber"> <Words> <Word>XL row number</Word> </Words> </Entity> </Entities> </LinguisticSchema> </LinguisticSchemas> </Value> </Annotation> </pre> <p>2.2.4.2.2.17.1.1 LinguisticSchema</p> <p>This complex type represents a LinguisticSchema. <81></p> <pre> <xsd:complexType name="LinguisticSchema"> <xsd:sequence> <xsd:element name="Entities" type="EntitiesType" minOccurs="0" maxOccurs="1" /> </xsd:sequence> <xsd:attribute name="Language" type="xsd:language" use="required" /> </xsd:complexType> </pre> <pre> <xsd:complexType name="EntitiesType"> <xsd:sequence> <xsd:element name="Entity" type="EntityType" minOccurs="1" /> </xsd:sequence> </xsd:complexType> </pre> <table border="1" data-bbox="414 1585 1177 1774"> <thead> <tr> <th>Element</th> <th>Read-Only</th> <th>Default value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Entities</td> <td></td> <td>Empty</td> <td>A collection of Entity objects.</td> </tr> </tbody> </table>	Element	Read-Only	Default value	Description	Entities		Empty	A collection of Entity objects.
Element	Read-Only	Default value	Description						
Entities		Empty	A collection of Entity objects.						

Attribute	Description
Language	Language code for the language of the linguistic schema. The language MUST comply with [HTML] section 8.1.1.

2.2.4.2.2.17.1.1.1 Entity

This complex type represents an **Entity**.<82>

```

<xsd:complexType name="EntityType">
  <xsd:sequence>
    <xsd:element name="Words" type="WordsType" minOccurs="0"
maxOccurs="1" />
  </xsd:sequence>
  <xsd:attribute name="Name" type="Name" use="required" />
  <xsd:attribute name="EdmEntitySet" type="EdmQualifiedName"
use="required" />
  <xsd:attribute name="EdmProperty" type="EdmSimpleName"
use="optional" />
</xsd:complexType>

<xsd:complexType name="WordsType">
  <xsd:sequence>
    <xsd:element name="Word" type="xsd:token" minOccurs="1" />
  </xsd:sequence>
</xsd:complexType>

```

Element	Read-Only	Default value	Description
Words		Empty	A collection of string objects. Each Word represents a term that can be used to refer to the Entity .

Attribute	Description
Name	Name of the entity.
EdmEntitySet	Name of the EdmEntitySet that represents the entity or contains the EdmProperty that represents the entity.
EdmProperty	Name of the EdmProperty that represents the entity.

Errata Published*	Description
	<p data-bbox="391 296 1430 348"><80> Section 2.2.4.2.2.17.1: The LinguisticSchemas annotation is not supported by SQL Server.</p> <p data-bbox="391 369 1430 422"><81> Section 2.2.4.2.2.17.1.1: The LinguisticSchema complex type is not supported by SQL Server.</p> <p data-bbox="391 443 1430 495"><82> Section 2.2.4.2.2.17.1.1.1: The EntityType complex type is not supported by SQL Server.</p>

*Date format: YYYY/MM/DD