

[MS-SSISPARAMS]: Integration Services Project Parameter File Format

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
07/07/2011	0.1	New	Released new document.
11/03/2011	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
01/19/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
02/23/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
03/27/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
05/24/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
06/29/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
10/23/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
03/26/2013	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
06/11/2013	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
08/08/2013	0.1	No change	No changes to the meaning, language, or formatting of the technical content.

Contents

- 1 Introduction 4**
 - 1.1 Glossary 4
 - 1.2 References..... 4
 - 1.2.1 Normative References..... 4
 - 1.2.2 Informative References 5
 - 1.3 Overview 5
 - 1.4 Relationship to Protocols and Other Structures 5
 - 1.5 Applicability Statement..... 5
 - 1.6 Versioning and Localization 5
 - 1.7 Vendor-Extensible Fields..... 5

- 2 Structures 6**
 - 2.1 Project Parameter File 6
 - 2.1.1 XML Namespace..... 6
 - 2.1.2 ParametersType 6
 - 2.1.3 ParameterType 6
 - 2.1.4 ParameterPropertiesType 7
 - 2.1.5 ParameterPropertyType..... 7

- 3 Structure Examples 9**

- 4 Security 10**
 - 4.1 Security Considerations for Implementers..... 10
 - 4.2 Index of Security Fields 10

- 5 Appendix A: XML Schema Definition 11**

- 6 Appendix B: Product Behavior 12**

- 7 Change Tracking..... 13**

- 8 Index 14**

1 Introduction

The Integration Services project parameter file format enables the capture of metadata about the parameters that may be supplied to an Integration Services project when it is configured or executed. The **project parameter file** is a file type that is used to store the metadata for a **project connection manager**.

Sections 1.7 and 2 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

universally unique identifier (UUID)

The following terms are specific to this document:

connection manager: A component that is referenced by an **SSIS package**. A connection manager stores the information necessary to establish connections to external resources and establishes and provides these connections, on demand, to other components within the SSIS package.

project: A collection of **SSIS packages** that are developed and deployed as a unit.

project parameter: A named entity that is defined at the scope of the **project**, with an associated data type that allows a value to be passed in to the execution of packages within that project.

project parameter file: The file that contains the definitions of the parameters that are defined at the scope of the **project**.

SQL Server Integration Services (SSIS) package: A module of a **project**. The module contains control flow and data flow, as specified in [\[MS-DTSX\]](#) section 1.3.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-DTSX] Microsoft Corporation, "[Data Transformation Services Package XML File Format](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

1.3 Overview

The file format for the Microsoft SQL Server Integration Services (SSIS) project parameter file is a file type that is used to store the metadata for the **project parameters** of an SSIS project.

The project parameter file is an XML document.

1.4 Relationship to Protocols and Other Structures

The project parameter file format can be used as a payload in protocols that support the transport of binary data.

1.5 Applicability Statement

The project parameter file format is applicable for use in an SSIS project.

1.6 Versioning and Localization

This document describes version 1.0 of the project parameter file format. There are no localization-dependent structures in the project parameter file format.

1.7 Vendor-Extensible Fields

Extensions to the file format that is specified in this document are not allowed. Tools that process this format do not have to preserve unrecognized structures when loading or persisting this file format.

2 Structures

2.1 Project Parameter File

A project parameter file is an XML file. A project parameter file **MUST** be named Project.params.

2.1.1 XML Namespace

The project parameter file contains an XML structure. The namespace URI for the project parameter XML structure is www.microsoft.com/SqlServer/SSIS.

2.1.2 ParametersType

The **ParametersType** complex type is the container type for a collection of elements of type [ParameterType](#).

The following is the XSD of the **ParametersType** complex type.

```
<xs:complexType name="ParametersType">
  <xs:sequence>
    <xs:element name="Parameter" maxOccurs="unbounded" type="SSIS:ParameterType" />
  </xs:sequence>
</xs:complexType>
```

The following table provides additional information about the elements, types, and constraints for the **ParametersType** complex type.

Element	Type definition	Description
Parameter	ParameterType	Specifies a Parameter element, which contains the options, parameters, and settings for a parameter.

2.1.3 ParameterType

The **ParameterType** complex type is used to specify a parameter.

The following is the XSD of the **ParameterType** complex type.

```
<xs:complexType name="ParameterType">
  <xs:sequence>
    <xs:element name="Properties" minOccurs="1" maxOccurs="1"
type="SSIS:ParmameterPropertiesType">
    </xs:element>
  </xs:sequence>
  <xs:attribute ref="SSIS:Name" use="required" />
</xs:complexType>
```

The **Name** attribute specifies the name of the parameter.

2.1.4 ParameterPropertiesType

The **ParameterPropertiesType** complex type is the container type for a collection of elements of type [ParameterPropertyType](#).

The following is the XSD of the **ParameterPropertiesType** complex type.

```
<xs:complexType name="ParameterPropertiesType">
  <xs:sequence>
    <xs:element name="Property" minOccurs="8" maxOccurs="8"
type="SSIS:ParameterPropertyType" />
  </xs:sequence>
</xs:complexType>
```

2.1.5 ParameterPropertyType

The **ParameterPropertyType** complex type represents a property of a parameter.

The following is the XSD of the **ParameterPropertyType** complex type.

```
<xs:complexType name="ParameterPropertyType">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute ref="SSIS:Name" use="required" />
      <xs:attribute ref="SSIS:Sensitive" use="optional" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

The value of the **Name** attribute MUST be one of the values from the following table, with the associated implication for that property. Moreover, a property element MUST exist for the parameter for each of the property names in this table, and there cannot be more than one property with the same property name for a given parameter.

Property name	Implication
ID	The element contains a universally unique identifier (UUID) for the parameter, in the following form: {hhhhhhhh-hhhh-hhhh-hhhh-hhhhhhhhhhhh}
CreationName	The element contains the creation name of the parameter. This value is ignored.
Description	The element value text that is the description of the parameter.
IncludeInDebugDump	The element contains an integer value that specifies whether the parameter is included in a binary dump. The integer value MUST be 0 or 1. An integer value of 0 specifies that the parameter value is not included in a dump; an integer value of 1 specifies that the parameter value is included in a dump.
Required	The element contains an integer value that specifies whether the parameter is a required parameter. The integer value MUST be 0 or 1.

Property name	Implication
	An integer value of 0 specifies that the parameter is not a required parameter; an integer value of 1 specifies that the parameter is a required parameter.
Sensitive	The element contains an integer value that specifies whether the parameter is a sensitive parameter. The integer value MUST be 0 or 1. An integer value of 0 specifies that the parameter is not a sensitive parameter; an integer value of 1 specifies that the parameter is a sensitive parameter. If the value of this property element is 1, the value of the sibling property that has the name Value MUST represent an encrypted value.
Value	The property contains the value of the parameter.
DataType	Specifies that the property contains the data type of the parameter. The value of the attribute is an integer that represents the data type of the property. The value of the property that has the name Value of this parameter MUST conform to this data type. See the following table for the mapping of integers to data types.

The following table provides the integer value for each data type.

Data type	Integer value
Boolean	3
Byte	6
DateTime	16
Decimal	15
Double	14
Int16	7
Int32	9
Int64	11
SByte	5
Single	13
String	18
UInt32	10
UInt64	12

3 Structure Examples

The following is an example of a typical project parameter file, including all the mandatory elements and examples of property and parameter declarations.

```
<?xml version="1.0"?>
<SSIS:Parameters xmlns:SSIS="www.microsoft.com/SqlServer/SSIS">
  <SSIS:Parameter
    SSIS:Name="projparam1">
    <SSIS:Properties>
      <SSIS:Property
        SSIS:Name="ID">{f12e6b1b-4b15-4f3d-a02c-8ba9175af385}</SSIS:Property>
      <SSIS:Property
        SSIS:Name="CreationName"></SSIS:Property>
      <SSIS:Property
        SSIS:Name="Description">asdfsdf</SSIS:Property>
      <SSIS:Property
        SSIS:Name="IncludeInDebugDump">0</SSIS:Property>
      <SSIS:Property
        SSIS:Name="Required">0</SSIS:Property>
      <SSIS:Property
        SSIS:Name="Sensitive">1</SSIS:Property>
      <SSIS:Property
        SSIS:Name="Value"
        SSIS:Sensitive="1">AQAAANCMnd8BFdERjHoAwE/Cl+sBAAACpzx4TP7X067dKtrwnEH9AAAAACAAAAAADZgAAwA
        AABAAAADvs3E7hbK9uRLfNB6d77W4AAAAASAAACgAAAAEAAAAMXImEjaQIIoURKGcCvkF9N4AAAAgLqX+CxeW3P4IzV
        q606clh+JfS0C62ninTMfu0I/uLWgnYvdGdLp/h/5LfqLiNcPB4M91Ff4V92Odzgejp0JeaXTkWQtYp/dw/2SbAs70Bxr
        fdoLcN900/Btr50Br/1/VEhcjKKcd+bhoyPIUdNel+qoE4HaloVFAAAAPv3AM7RcowuTr3Nz1NJ9KUY4Pj6</SSIS:Pr
        operty>
      <SSIS:Property
        SSIS:Name="DataType">9</SSIS:Property>
    </SSIS:Properties>
  </SSIS:Parameter>
  <SSIS:Parameter
    SSIS:Name="projparam2">
    <SSIS:Properties>
      <SSIS:Property
        SSIS:Name="ID">{498bf8a2-4533-4517-ae79-b65f92b84303}</SSIS:Property>
      <SSIS:Property
        SSIS:Name="CreationName"></SSIS:Property>
      <SSIS:Property
        SSIS:Name="Description">asdfsdfasdfsdf</SSIS:Property>
      <SSIS:Property
        SSIS:Name="IncludeInDebugDump">0</SSIS:Property>
      <SSIS:Property
        SSIS:Name="Required">1</SSIS:Property>
      <SSIS:Property
        SSIS:Name="Sensitive">0</SSIS:Property>
      <SSIS:Property
        SSIS:Name="Value">0</SSIS:Property>
      <SSIS:Property
        SSIS:Name="DataType">9</SSIS:Property>
    </SSIS:Properties>
  </SSIS:Parameter>
</SSIS:Parameters>
```

4 Security

4.1 Security Considerations for Implementers

The project parameter file can contain sensitive information, such as user names and passwords that are used to access data sources.

When sensitive values are present in a project or its **SQL Server Integration Services (SSIS) packages**, the user should use the appropriate protection level for serialization, as described in this document and in [\[MS-DTSX\]](#) section [4.1](#).

4.2 Index of Security Fields

None.

5 Appendix A: XML Schema Definition

The following is the complete XML schema definition for the project parameter file format.

```
<?xml version="1.0" encoding="Windows-1252"?>
<xs:schema
  xmlns:SSIS="www.microsoft.com/SqlServer/SSIS"
  attributeFormDefault="unqualified"
  elementFormDefault="qualified"
  targetNamespace="www.microsoft.com/SqlServer/SSIS"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="Parameters" type="SSIS:ParametersType">
  </xs:element>
  <xs:complexType name="ParametersType">
    <xs:sequence>
      <xs:element name="Parameter" maxOccurs="unbounded" type="SSIS:ParameterType" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="ParameterType">
    <xs:sequence>
      <xs:element name="Properties" minOccurs="1" maxOccurs="1"
type="SSIS:ParameterPropertiesType">
        </xs:element>
      </xs:sequence>
      <xs:attribute ref="SSIS:Name" use="required" />
    </xs:complexType>
    <xs:complexType name="ParameterPropertiesType">
      <xs:sequence>
        <xs:element name="Property" minOccurs="8" maxOccurs="8"
type="SSIS:ParameterPropertyType" />
      </xs:sequence>
    </xs:complexType>
    <xs:complexType name="ParameterPropertyType">
      <xs:simpleContent>
        <xs:extension base="xs:string">
          <xs:attribute ref="SSIS:Name" use="required" />
          <xs:attribute ref="SSIS:Sensitive" use="optional" />
        </xs:extension>
      </xs:simpleContent>
    </xs:complexType>
    <xs:attribute name="Name" type="xs:string" />
    <xs:attribute name="Sensitive" type="xs:unsignedByte" />
  </xs:schema>
```

6 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft SQL Server 2012

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

8 Index

A

[Applicability](#) 5

C

[Change tracking](#) 13

E

[Extensions](#) 5

F

[File format overview](#) 5

G

[Glossary](#) 4

I

[Informative references](#) 5

L

[Localization](#) 5

N

[Namespace URI](#) 6

[Normative references](#) 4

O

Other protocols and structures
[relationship to](#) 5

P

[ParameterPropertiesType complex type](#) 7

[ParameterPropertyType complex type](#) 7

[ParametersType complex type](#) 6

[ParameterType complex type](#) 6

[Project parameter file overview](#) 6

R

References
[informative](#) 5
[normative](#) 4

[Relationship to other protocols and structures](#) 5

S

[Security considerations](#) 10

T

[Tracking changes](#) 13

V

[Vendor-extensible fields](#) 5

[Versioning](#) 5

X

[XML namespace](#) 6